

Число жил и номинальное сечение, мм ²	Наружный диаметр кабеля, мм		Масса 1 км кабеля, кг	
	660 В	1000 В	660 В	1000 В
Кабели марки АВВГнг с круглыми жилами				
1 x 2.5	5.4		37	
1 x 4	6.1		48	
1 x 6	6.5		57	
1 x 10	7.7		81	
1 x 16	9.3		119	
1 x 25	10.8		166	
1 x 35	11.8		204	
1 x 50	13.5		270	
1 x 70		15.2		352
1 x 95		17.3		457
1 x 120		19.2		566
2 x 2.5	8.4	9.8	68	91
2 x 4	10.3	11.5	104	123
2 x 6	11.3	12.5	123	143
2 x 10	13.6	14.0	174	182
2 x 16	15.5	15.9	228	237
2 x 25	19.0	19.4	342	352
2 x 35	21.0	21.4	420	431
2 x 50	24.8	25.2	582	596
2 x 70		30.2		790
2 x 95		35.0		1046
2 x 120		38.3		1244
2 x 150		41.8		1476
2 x 185		46.7		1840
3 x 2.5	9.4	10.3	96	110
3 x 4	10.9	12.2	127	152
3 x 6	11.9	13.2	154	180
3 x 10	14.4	14.8	223	232
3 x 16	16.4	16.9	298	309
3 x 25	20.2	20.6	451	464
3 x 35	22.3	22.8	560	575

3 x 50	26.4	26.8	781	800
3 x 2.5 + 1 x 2.5	10.2	11.2	115	132
3 x 4 + 1 x 2.5	11.8	12.8	147	172
3 x 6 + 1 x 2.5	12.5	13.9	171	201
3 x 6 + 1 x 4	13.0	14.4	181	214
3 x 10 + 1 x 4	14.8	15.7	245	263
3 x 10 + 1 x 6	15.2	16.3	255	274
3 x 16 + 1 x 6	16.9	17.9	328	348
3 x 16 + 1 x 10	18.5	18.9	371	385
3 x 25 + 1 x 10	20.8	21.3	499	515
3 x 25 + 1 x 16	21.5	21.9	524	540
3 x 35 + 1 x 16	24.2	24.6	658	676
3 x 50 + 1 x 16	27.2	27.7	852	874
3 x 50 + 1 x 25	28.1	28.5	896	918
3 x 70 + 1 x 25		31.0		1131
3 x 95 + 1 x 35		36.1		1510
3 x 120 + 1 x 35		39.4		1782
3 x 150 + 1 x 50		46.5		2275
3 x 185 + 1 x 50		51.5		2737
4 x 2.5	10.2	11.2	115	132
4 x 4	11.8	13.3	154	184
4 x 6	13.0	14.4	188	220
4 x 10	15.8	16.3	275	288
4 x 16	18.5	18.9	391	405
4 x 25	22.3	22.7	567	584
4 x 35	25.0	25.5	733	752
4 x 50	29.1	29.6	991	1016
5 x 2.5	11.1	12.1	138	159
5 x 4	12.9	14.5	188	227
5 x 6	14.2	15.8	232	271
5 x 10	17.3	17.9	342	357
5 x 16	20.3	20.8	489	507
5 x 25	24.9	25.5	740	761
5 x 35	27.6	28.1	924	947
5 x 50	32.2		126	

			2	
Кабели марки АВВГнг с секторными жилами				
3 x 50		29.6		870
3 x 70		32.4		1097
3 x 95		36.0		1436
3 x 120		38.5		1702
3 x 150		41.1		2014
3 x 185		44.1		2407
3 x 240		49.1		3117
3 x 50 + 1 x 25		29.0		951
3 x 70 + 1 x 35		32.2		1213
3 x 95 + 1 x 50		36.5		1613
3 x 120 + 1 x 70		39.5		1952
3 x 150 + 1 x 70		42.5		2268
3 x 185 + 1 x 95		46.5		2803
3 x 240 + 1 x 120		52.1		3561
4 x 50		29.8		1057
4 x 70		33.0		1354
4 x 95		37.5		1792
4 x 120		40.5		2147
4 x 150		43.7		2560
4 x 185		47.7		3126
4 x 240		53.5		4012
5 x 50		32.9		1336
5 x 70		37.0		1745
5 x 95		41.2		2227
5 x 120		44.8		2687
5 x 150		48.4		3221
5 x 185		52.8		3891
5 x 240		59.5		4965
Кабели марки АВВГнг-LS с круглыми жилами				
2 x 2.5	8.4	9.8	96	128
2 x 4	10.3	11.5	146	180
2 x 6	11.3	12.5	176	212
2 x 10	13.6	14.0	259	273

2 x 16	15.5	15.9	343	359
2 x 25	20.0	20.4	615	638
2 x 35	22.0	22.4	753	778
2 x 50	26.4	26.8	1089	1120
3 x 2.5	9.4	10.3	121	143
3 x 4	10.9	12.2	164	201
3 x 6	11.9	13.2	199	239
3 x 10	14.4	14.8	295	310
3 x 16	16.4	16.9	391	411
3 x 25	21.2	21.6	690	714
3 x 35	23.3	24.2	849	901
3 x 50	28.0	28.4	1229	1263
3 x 2.5 + 1 x 2.5	10.2	11.2	140	165
3 x 4 + 1 x 2.5	11.8	12.8	190	219
3 x 6 + 1 x 2.5	12.5	13.9	217	261
3 x 6 + 1 x 4	13.0	14.4	232	279
3 x 10 + 1 x 4	14.8	15.7	305	339
3 x 10 + 1 x 6	15.2	16.3	324	364
3 x 16 + 1 x 6	16.9	17.9	409	450
3 x 16 + 1 x 10	18.5	18.9	482	504
3 x 25 + 1 x 10	21.8	22.3	709	733
3 x 25 + 1 x 16	22.5	22.9	754	781
3 x 35 + 1 x 16	25.2	25.6	955	985
3 x 50 + 1 x 16	28.8	29.3	1265	1299
3 x 50 + 1 x 25	29.7	30.1	1344	1380
4 x 2.5	10.2	11.2	140	165
4 x 4	11.8	13.3	191	235
4 x 6	13.0	14.4	234	281
4 x 10	15.8	16.3	348	367
4 x 16	18.5	18.9	488	510
4 x 25	23.3	24.1	813	866
4 x 35	26.0	26.5	1032	1064

4 x 50	30.7	31.2	145 3	1498
Кабели марки АВВГнг-LS с секторными жилами				
3 x 50		28.5		1091
3 x 70		31.5		1348
3 x 95		35.4		1725
3 x 120		38.0		2017
3 x 150		41.0		2365
3 x 185		44.8		2851
3 x 240		50.2		3581
3 x 50 + 1 x 25		30.5		1219
3 x 70 + 1 x 35		33.7		1507
3 x 95 + 1 x 50		38.0		1952
3 x 120 + 1 x 70		41.0		2318
3 x 150 + 1 x 70		44.0		2667
3 x 185 + 1 x 95		48.0		3251
3 x 240 + 1 x 120		53.6		4066
4 x 50		31.3		1336
4 x 70		34.9		1701
4 x 95		39.0		2144
4 x 120		42.0		2528
4 x 150		45.6		3024
4 x 185		49.2		3590
4 x 240		55.4		4598

Информация может изменяться в зависимости от производителя.