

Кабели марки ВВГнг с круглыми жилами

Число жил и номинальное сечение, мм ²	Наружный диаметр кабеля, мм		Масса 1 км кабеля, кг	
	660 В	1000 В	660 В	1000 В
1 x 1.5	5.0	5.4	41	46
1 x 2.5	5.4	5.8	52	57
1 x 4	6.0	6.6	72	80
1 x 6	6.5	7.1	93	102
1 x 10	7.8	8.0	143	146
1 x 16	9.9	10.1	229	234
1 x 25	11.0	11.2	327	332
1 x 35	12.0	12.2	424	430
1 x 50	13.5	13.7	557	564
1 x 70		15.2		773
1 x 95		17.3		1037
1 x 120		19.2		1290
1 x 150		22.2		1608
1 x 185		24.7		2010
1 x 240		27.7		2593
2 x 1.5	7.6	8.4	75	85
2 x 2.5	8.3	9.7	98	122
2 x 4	10.3	11.5	152	171
2 x 6	11.3	12.5	196	216
2 x 10	13.7	14.1	300	307
2 x 16	16.7	16.7	451	458
2 x 25	19.4	19.8	668	679
2 x 35	21.4	21.8	867	879
2 x 50	24.8	25.2	1163	1177
2 x 70		28.2		1607
2 x 95		32.4		2150
3 x 1.5	8.0	9.5	96	122
3 x 2.5	9.4	10.3	142	156
3 x 4	10.8	12.1	200	224
3 x 6	11.9	13.2	263	289
3 x 10	14.5	14.9	411	421

3 x 16	17.8	17.8	628	638
3 x 25	20.6	21.0	939	954
3 x 35	22.8	23.2	1229	1246
3 x 50	26.4	26.8	1653	1672
3 x 1.5 + 1 x 1	9.3	10.2	127	143
3 x 2.5 + 1 x 1.5	10.2	11.1	166	183
3 x 4 + 1 x 2.5	11.8	12.8	235	260
3 x 6 + 1 x 2.5	12.5	13.9	296	325
3 x 6 + 1 x 4	13.0	14.4	315	347
3 x 10 + 1 x 4	14.9	15.8	458	476
3 x 10 + 1 x 6	15.4	16.4	479	499
3 x 16 + 1 x 6	18.7	18.7	713	729
3 x 16 + 1 x 10	19.3	19.3	761	773
3 x 25 + 1 x 10	21.2	21.7	1050	1068
3 x 25 + 1 x 16	22.7	23.2	1126	1145
3 x 35 + 1 x 16	24.6	25.1	1435	1455
3 x 50 + 1 x 16	27.2	27.7	1830	1853
3 x 50 + 1 x 25	28.1	28.5	1929	1952
3 x 70 + 1 x 25		31.0		2578
3 x 95 + 1 x 35		36.1		3504
4 x 1.5	9.3	10.2	132	148
4 x 2.5	10.2	11.1	175	193
4 x 4	11.8	13.2	251	281
4 x 6	13.0	14.4	333	366
4 x 10	15.9	16.4	526	539
4 x 16	20.0	20.4	830	847
4 x 25	22.7	23.2	1217	1236
4 x 35	25.5	26.0	1625	1647
4 x 50	29.1	29.6	2153	2178
5 x 1.5	10.0	11.1	161	180
5 x 2.5	11.0	12.1	214	235
5 x 4	12.8	14.5	309	348
5 x 6	14.2	15.8	414	453
5 x 10	17.5	18.0	655	671
5 x 16	22.0	22.5	1037	1058

5 x 25	25.4	25.9	1553	1577
5 x 35	28.1	28.6	2043	2070
5 x 50	32.2	32.7	2723	2753
Кабели марки ВВГнг с секторными жилами				
3 x 50		29.6		1760
3 x 70		32.4		2372
3 x 95		36.0		3198
3 x 120		38.5		3923
3 x 150		41.1		4780
3 x 185		44.7		5888
3 x 240		49.1		7607
3 x 50 + 1 x 25		29.2		2006
3 x 70 + 1 x 35		32.2		2710
3 x 95 + 1 x 50		36.5		3667
3 x 120 + 1 x 70		39.4		4598
3 x 150 + 1 x 70		42.5		5460
3 x 185 + 1 x 95		46.7		6829
3 x 240 + 1 x 120		52.1		8785
4 x 50		30.0		2247
4 x 70		33.2		3058
4 x 95		37.5		4143
4 x 120		40.4		5109
4 x 150		43.7		6248
4 x 185		47.9		7709
4 x 240		53.5		9998
5 x 50		32.9		2789
5 x 70		37.0		3850
5 x 95		41.2		5142
5 x 120		44.8		6397
5 x 150		48.5		7946
5 x 185		52.7		9647
5 x 240		59.4		12275
Кабели марки ВВГнг-II				
2 x 1.5	5.0 x 7.6	5.4 x 8.4	68	77
2 x 2.5	5.4 x 8.3	5.8 x 9.1	90	99

2 x 4	6.0 x 9.7	6.6 x 10.9	128	143
2 x 6	6.5 x 10.7	7.1 x 11.9	169	185
2 x 10	7.8 x 13.1	8.0 x 13.5	265	272
2 x 16	9.9 x 16.7	10.1 x 17.1	425	433
3 x 1.5	5.0 x 10.2	5.4 x 11.4	103	115
3 x 2.5	5.4 x 11.3	5.8 x 12.5	135	148
3 x 4	6.0 x 13.2	6.6 x 15.1	191	213
3 x 6	6.5 x 14.9	7.1 x 16.6	253	277
3 x 10	7.8 x 18.5	8.0 x 19.1	396	405
3 x 16	9.9 x 23.6	10.1 x 24.2	634	646

Информация может изменяться в зависимости от производителя.